

# INDEX MAPS.

## T. 7<sup>N</sup> R. 8<sup>W</sup> 2<sup>nd</sup> Mer.

	64-66	64-66	64-66	64-66	64-66	64-66	64-66	64-66	64-66	64-66	64-66
68	6	86	5	81	4	78	3	75	2	71	1 63
	86		85		81		78		74		71
68	7	85	8	81	9	77	10	74	11	71	12 63
	85		85		80		77		74		70
67	18	84	17	80	16	77	15	73	14	70	13 63
	84		84		80		76		73		70
67	19	83	20	79	21	76	22	73	23	70	24 62
	83		83		79		76		73		69
67	30	82	29	79	28	75	27	72	26	69	25 62
	82		82		78		75		72		69
66	31	82	32	78	33	75	34	72	35	68	36 62
	59-61		59-61		59-61		59-60		59-60		60

## T. 8<sup>N</sup> R. 8<sup>W</sup> 2<sup>nd</sup> Mer.

	91-93	91-93	91-93	91-93	91-93	91-93	91-93	91-93	91-93	91-93	91-93
95	6	115	5	110	4	106	3	102	2	99	1 91
	115		114		109		106		102		99
95	7	114	8	109	9	105	10	102	11	98	12 90
	114		113		109		105		101		98
95	18	113	17	108	16	104	15	101	14	98	13 90
	113		112		108		104		101		97
94	19	112	20	108	21	104	22	100	23	97	24 90
	112		111		107		104		100		97
94	30	111	29	107	28	103	27	100	26	96	25 90
	110		110		106		103		100		96
94	31	110	32	106	33	103	34	99	35	96	36 89
	87-89		87-89		87-88		87-88		87-88		87-88

The figures on the lines refer to the page.

87

Township N. 8 South of Range N. 8 West of the 2<sup>nd</sup> Mer. Sec.

Ch. lks.

South Boundary March 28 1881

East On a Random line On the South Boundary of sec. 31.  
T. 8 N. R. 8 W.

40.00 Set a temp. 1/4 sec post

80.00 Set a " post for the cor of sec. 31 & 32

Land here ends 2<sup>nd</sup> nat; sandy soil. Timber Oak & Hick

East On a Random line On the South Boundary of sec. 32  
T. 8 N. R. 8 W.

40.00 Set a temp. 1/4 sec post

80.00 " " post for the cor of sec. 32 & 33

Land ends timber same.

East On a Random line On the South Boundary of sec. 33.  
T. 8 N. R. 8 W.

40.00 Set a temp. 1/4 sec post

80.00 Set a " post for the cor of sec. 33 & 34

Land same; last 1/2 mile prairie

East On a Random line On the South Boundary of sec. 34.  
T. 8 N. R. 8 W.

40.00 Set a temp. 1/4 sec post

65.00 Is a small brook coming S.

80.00 Set a temp. 1/4 sec post for the cor of sec. 34 & 35.

Land here ends soil sandy; no undergrowth. Timber Oak & Hick. timber thinned

East On a Random line On the South Boundary of sec. 35.  
T. 8 N. R. 8 W.

40.00 Set a temp. 1/4 sec post

80.00 " " post for the cor of sec. 35 & 36.

Land same and good for wheat.

East On a Random line On the South Boundary of sec. 36.

26.50 To a Brook. 6 links away, corner N

34.50 " " Do. 8 " " " "

10-8 Camp

T. No 8 N.R. No 8 W. 2<sup>nd</sup> Div. Ind.

40.00 Set a trap 1/4 mi. S. of post.  
 83.65 Set out the Range line 41 miles South of the trap.  
 Term. Co. Removed the post 41 miles and set it  
 at the intersection of the Range line.  
 Land the same as last one.

West On the true line On the South Boundary of Sec. 36  
 T. 8. N. R. 8 W. Mar. 29. 1811

40.00 Set the trap 1/4 mi. S. of post on the true line from which  
 Hick 10 in diam. trees. S 88 W. 26 miles N. 84 E. 13 "

80.00 Set a trap 1/4 mi. S. of post on the true line from which  
 Hick 9 in diam. trees. S 55 W. 86 miles N. 41 E. 13 "

West On the true line On the South Boundary of Sec. 35.  
 T. 8. N. R. 8 W.

40.00 Set the trap 1/4 mi. S. of post on the true line from which  
 N. Oak 9 in diam. trees. S 13 W. 29 miles N. 25 E. 6 "

80.00 Set a post (trap) on the true line from which  
 Hick 11 in diam. trees. S 70 E. 18 miles N. 12 W. 54 "

West On the true line On the South Boundary of Sec. 34.  
 T. 8. N. R. 8 W.

40.00 Set a trap 1/4 mi. S. of post on the true line from which  
 N. Oak 6 in diam. trees. S 84 E. 14 miles N. 65 W. 12 "

80.00 Set the trap 1/4 mi. S. of post on the true line from which  
 Hick 30 in diam. trees. S 85 E. 40 miles N. 12 W. 70 "

West On the true line On the South Boundary of Sec. 33.  
 T. 8. N. R. 8 W.

40.00 Set the trap 1/4 mi. S. of post on the true line from which

*P. 8 N. R. P. 8 W. D. 1. M. S. 1.*

Heikr 10 in diam brass N 83 W. 50 links each; 53  
 Lbs. 9 " " " 946 W. 92 " "  
 80.00 Set apart the pins for the cor of seal. 32 & 35 from which  
 W Oak 16 in diam brass N 87 W. 21 links each; 53  
 Heikr 8 " " " " 116 W. 47 " "

West On the one line On the South Bond. 7 feet. P.  
T. 8. 1. 8. 7. 7.

40.00 Got the trip 7<sup>th</sup> Sept on the train from which,  
W. Clark 18 mi. dist. from. At 3<sup>30</sup> P.M. 17 miles out; & a,  
B. Clark 20 " " " 35 M. 54 " "

80.50 Let the time p.m. past on the time line for the car fee. 50.52  
from which New York 9 in dist. trans. 140 77.11 0 the met,  
made a 77.18, " " 515 77.130, "

West On the true line On the Smith Board of Jan. 31.  
Sept 1874

40.00 Set a trap<sup>17</sup> in report on the true this form which  
 Hunt<sup>17</sup> 11 in air. 1000. N 76 E. 19 huts met; 70  
 77 Oct 16<sup>17</sup> " " " N 62 W. 47 " "

83.05 To the Township Cor. Set a post at the intersection of the  
Line for the cor of <sup>Sec.</sup> 7 & 8 N. 10. 8 & 9 W from which a  
W Oak 13 in diam. bears S 44 W. 12 inch dish; & a  
Hick 10 " " N 72 E. 51 " "

*East Brundary*

V. 640 n. c. 54

North Cape East Bomba 7 of sea. 36. 7. 8. 11. 87

40.00 Set a 1/4 report form which  
keep 8 in dir. trans. N 25 W 33 miles net; & a  
B. Oak 30, " " N 61 1/2 W 89 " "

68.00 To Brook 10 links mid, Leona W.

80.00 Set apart for the cor of sw. 25 & 36 from which a  
W Oak 14 in diam. 12 in. N 73 E. 9 looks such, Va,  
Hg. 14 " " " 62 W. 164, "

Sound rolling timber oak thick good farming land.



## T. 8 N. R. 8 W 2nd (Mer. Ind.)

North  
40.00 On the East Boundary of sec. 25 T. 8 N. R. 8 W  
Set a 7<sup>th</sup> to post from which  
W Oak 9 in diam. trunk. 18 W. 8 limbs each; 4<sup>th</sup>  
Heights 8 " " N 27 W 5 " " "  
80.00 Set a post for the cor of sec. 24 & 25 from which  
W Oak 8 in diam. trunk. 11 W. 18 limbs each; 4<sup>th</sup>  
Hts. 6 " " " N 79 E. 15 " "  
Land a little rolling and thinly timbered with Small  
Oak & Hickory; Land 7<sup>th</sup> for.

North  
13.00 On the East Boundary of sec. 24. T. 8 N. R. 8 W  
To a Brook 6 limbs each, lower N. W.  
40.00 Set a 7<sup>th</sup> to post from which  
Hickory 9 in diam. trunk 82 E. 25 limbs each; 4<sup>th</sup>  
W Oak 15 " " " N 41 W 15 " "  
80.00 Set a post for the cor of sec. 23 & 24 from which  
W Oak 13 in diam. trunk. N 72 E. 38 the each; 4<sup>th</sup>  
Hts. 11 " " " S 70 W 40 " "  
Land level and thinly timbered with Oak & Hickory.  
Land 7<sup>th</sup> for; good wheat land.

North  
40.00 On the East Boundary of sec. 13. T. 8 N. R. 8 W  
Set a 7<sup>th</sup> to post from which  
Hickory 8 in diam. trunk. — 19 E. 96 the each; 4<sup>th</sup>  
W Oak 9 " " " N 43 E. 17 " "  
54.00 To a Brook. 10 limbs each, lower N. W.  
80.00 Set a post for the cor of sec. 12 & 13 from which  
— 8 in diam. trunk. S 58 W 9 limbs each; 4<sup>th</sup>  
Heights 12 " " " N 51 E. 31 " "  
Land uneven and good for wheat. Timber Oak  
& Hickory

North  
16.00 On the East Boundary of sec. 12. T. 8 N. R. 8 W  
To a Brook. 15 limbs each lower N. W.  
40.00 Set a 7<sup>th</sup> to post from which  
Hickory 10 in diam. trunk. S 73 E. 10 limbs each; 4<sup>th</sup>

91

T. No 8 N.R. No 8 W 2nd Mer. Ind.

80.00	Heick 15 in diam. beam. N49W. 13 links each; Set a post for the cor of sec. 18 & 19 from which W Oak. 16 in diam. beam. S51E. 27 links each; & a Heick 9 " " " N87W. 11 " " Land rolling and muddling good for wheat. Timber Oak & Heick.
North	Quadrant East Bound of sec. 1. T. 8 N. R. 8 W
36.50	Long Brook 6 links mid. corner W
40.00	Set a 7/8 post from which W Oak. 12 in diam. beam. S41E. 22 links each; & a He. 14 " " " S59W. 30 " "
62.00	Long Brook 10 links mid. corner W.
80.00	Set a post for the cor of T. 8 & 9. N. R. 8 & 9 from which a Heick 12 in diam. beam. S49W. 5 links each; & a W Oak 12 " " " N62E. 60 " " Land and timber same.

North Boundary.

c. 86.

East	Quadrant line On the South Bound of sec. 31. T. 9 N. R. 8 W. Apr. 1st 1811
40.00	Set a tripod 7/8 post
44.50	Long Brook. 12 links mid. corner S.E.
80.00	Set a tripod post for the cor of sec. 31 & 32. Land rolling and muddling good wheat land. a little Oak Heick & Poplar.
East	Quadrant line between Sec. 32 & 33 On the South B.
	sec. 32. T. 9 N. R. 8 W
40.00	Set a tripod 7/8 post
57.50	To place 50 links mid. corner S.
80.00	Set a tripod post for the cor of sec. 32 & 33. Land well and not 30 <sup>th</sup> rate
East	Quadrant line On the South Bound of sec. 33. T. 9 N. R. 8 W.

## T. N. 8 N. R. 8 W. 2nd Mer. Ind.

40.00	Set a timber 1/4 section
58.00	To a Brook. 10 links mid, lower S.
80.00	Set a timber post for the cor of sec. 34 T34 Land rolling and good for farming; Timber Oak White Poplar & Sugar.
East	On a Maum line On the South Bound of sec. 34. T. 9 N. R. 8 W.
40.00	Set a timber 1/4 section
80.00	Set a timber 1/4 section for the cor of sec. 34 T35. Land and timber same. Good farming land.
East	On a Maum line On the South Bound of sec. 35. T. 9 N. R. 8 W.
8.50	To a Brook. 12 links mid, lower S.W.
40.00	Set a timber 1/4 section
80.00	Set a timber post for the cor of sec. 35 T36. Land level and wet; thick timbered with Oak & Hickory 3rd rate.
East	On a Maum line On the South Bound of sec. 36. T. 9 N. R. 8 W.
40.00	Set a timber 1/4 section
55.00	To a Brook. 10 links mid, lower S.
79.46	Introduced the Range 67 links South of the post cor of T. 8 & 9 N. R. 7 & 8 W. Land rolling and middling good for wheat. Timber Oak & Hickory
West	On the Maum line On the South Bound of sec. 36 T. 6°40' T. 9 N. R. 8 W. N. 6°40'
40.00	Set the timber 1/4 section at the true line from which Sec. 11 is derived. S 89 E. 44 links rich & good Timber 11. " " N 22 W. 89 " "
80.00	Set a timber post on the true line for the cor of sec. 35 T36 Hickory & white birch. N 15 E. 331 the mid.

93

T. N. 8 N. R. N. 8 W. 2nd Mer. Ind.

West	On the true line On the South Boundary of sec. 35. T. 9 N. R. 8 W.
4000	Set the temp. 7 1/4 sap post at the true line from which S. 16 E. 20 in air. 44 links out;
8000	Set a post (temp. 7) on the true line for the cor. of sec. 34 & 35 from which S. 27 in air. 48 E. 17 the out. & Va. Sugar. 12 " " N. 47 E. 17 " "
West	On the true line On the South Boundary of sec. 34 T. 9 N. R. 8 W.
4000	Set the temp. 7 1/4 sap post from which W. Oak 8 in air. 21 links out; Va. Hickory 8 " " S. 20 W. 9 " "
8000	Set the temp. 7 post on the true line for the cor. of sec. 33 & 34 from which Sugar. 12 in air. 31 E. 11 links out. and a Buck. 18 " " S. 72 W. 20 " "
West	On the true line On the South Boundary of sec. 33. T. 9 N. R. 8 W.
4000	Set the temp. 7 1/4 sap post on the true line from which Sugar. 9 in air. 11 E. 24 links out; Va. W. Oak 16 " " S. 45 W. 28 " "
8000	Set a post (temp. 7) on the true line for the cor. of sec. 32 & 33. from which Hick. 14 in air. 19 E. 35 the out. and a Do. 9 " " S. 51 W. 34 " "
West	On the true line On the South Boundary of sec. 32. T. 9 N. R. 8 W.
4000	Set the temp. 7 1/4 sap post at the true line from which Buck. 12 in air. 15 E. 45 links out; Va. Do. 10 " " S. 78 W. 26 " "
8000	Set the temp. 7 post on the true line for the cor. of sec. 31 & 32 from which W. Oak 10 in air. 15 W. 24 the out. and a B. Oak 24 " " S. 19 W. 37 " "
West	On the true line On the South Boundary of sec. 31.



T<sup>s</sup> 8 N.R. N. 87W 2<sup>nd</sup> (New) Sur.

- T<sup>s</sup> 9 N.R. 87W  
 40.00 Set the trap? 74 report on the New line from which,  
 North 11 in dir. line. N 88 E. 26 links out; 42  
 E. 10 " " " N 87 W. 29 " "  
 79.46 Set a post at the intersection of the lines for the cor off  
 T<sup>s</sup> 8 & 9. N.R. N. 87W. from which,  
 E. 12 in dir. line. S 57 W. 12 links out; 8  
 W. 27 " " " W 63 E. 37 " "

## West Boundary

T<sup>s</sup> 6<sup>th</sup> 15 N.W.

- North On the East Boundary of la. 36. T. 8 N.R. 9W  
 40.00 Set a 7<sup>th</sup> report from which,  
 North 10 in dir. line. S 44 E. 54 links out; 72  
 E. 12 " " " N 81 W. 26 " "  
 80.00 Set a post for the cor off lat 25 & 36. from which,  
 North 12 in dir. line. N. 62 W. 17 links out; 72  
 E. 20 " " " S 27 E. 31 " "  
 Land hold and out; Timber Oak & Hick 3<sup>rd</sup> rate  
 farming land.

- North On the East Boundary of la. 25. T. 8 N.R. 9W  
 29.50 To a Brook 100 links N.W.  
 40.00 Set a 7<sup>th</sup> report from which,  
 N. 42 E. 5 in dir. line. S 8 E. 24 links out; 72  
 E. 15 " " " N 10 W. 30 " "  
 80.00 Set a corner 5 ch. North of this corner  
 Set a post for the cross. 24 & 25 from which,  
 E. 15 in dir. line. N 36 E. 30 links out; 72  
 N. 42 E. 4 " " " S 35 W. 13 " "  
 Land set 7<sup>th</sup> mile hold and out; the last 7<sup>th</sup> rolling  
 and muddling good farming land.

- North On the East Boundary of la. 24 T. 8 N.R. 9W  
 3.00 To a Brook 10 links N.W.  
 40.00 Set a 7<sup>th</sup> report from which,  
 N. 42 E. 18 in dir. line. N 82 E. 20 links out; 72

95

T. Apr 8 N.M. N. 9 W Quad (Mer. Quad)

80.00 Bunch 24 in deer. horns. S38W.36 links north;  
 Set a post for the corner of sec. 13 & 24 from which,  
 N. 10W. 25 links north; & a  
 W. Oak 5 " " N28W.47 " "  
 Land a little rolling Timber Oak & Hick. Ash Elm &  
 Birch. Good land for farming

North 40.00 On the East Boundary of sec. 13 T. 8 N. R. 9 W  
 Set a 1/4 section post from which,  
 N. 21W. 28 links north; & a  
 L. 12 " " N26W.27 " "  
 80.00 Set a post for the corner of sec. 12 & 13 from which,  
 S. 33W. 248 links north;  
 Land 1/2 mile from a last mile; last 1/2 mile  
 level and north.

North 40.00 On the East Boundary of sec. 12 T. 8 N. R. 9 W  
 Set a 1/4 section post from which,  
 N. 10W. 34 links north; & a  
 Gum. 14 " " N79W.60 " "  
 67.50 To a Brook 15 links north, corner S.E.  
 79.50 " " L. 8 " " " E.W.  
 80.00 Set a post for the corner of sec. 11 & 12 from which,  
 Sugar. 8 in deer. horns. S37W.18 the north & a  
 N. 10W. 33 " " S32W.33 " "  
 Land 1/2 mile out prairie; last 1/2 mow.  
 Timber Oak & Hick. principally; some Ash. Elm, &  
 very brushy.

North 30.50 On the East Boundary of sec. 11 T. 8 N. R. 9 W  
 To a Brook 10 links north, corner S.E.  
 40.00 Set a 1/4 section post from which  
 W. Oak. 12 in deer. horns. S44E.23 links north; & a  
 Bunch 12 " " N56W.9  
 79.13 Set a 1/4 section post for the corner of S38 & 9 N. 8 & 9 W  
 This post established at 79.13

## T. 8 S. R. 8 W. Sec. 8. Ind. 3

## Subdivisions

South  
40.00 On Ransom line between Sec. 35 & 36. T. 8 N. R. 8 W.  
Set a temp. 7/4 capst.  
79.87 Enter at the South Branch 22 miles West of the post  
cor. of sec. 35 & 36.  
Land rolling and good for farming. Timber Oak &  
Hick.

North  
39.83 On the true line between Sec. 35 & 36. T. 8 N. R. 8 W.  
Set the temp. 7/4 capst. at the ar. dist. on the true line  
from which Hick 12 in dir. bears. S 16 E. 17 the dist.  
and a Do. 11 " " S 42 W. 32 " "  
79.87 To the post cor. of Sec. 25, 26. 35 & 36.

East  
40.00 On Ransom line between Sec. 25 & 36. T. 8 N. R. 8 W.  
Set a temp. 7/4 capst.  
41.57 In spring branch comes in.  
79.40 Enter at the East Branch 12 miles South of the post  
cor. of sec. 25 & 36.  
Land and timber same.

West  
39.70 On the true line between Sec. 25 & 36. T. 8 N. R. 8 W.  
Set the temp. 7/4 capst. at the ar. dist. on the true line from  
which W. Oak 14 in dir. bears. S 68 E. 46 the dist.  
and a Do. 14 " " N 30 W. 61 " "  
79.40 To the post cor. of sec. 25, 26. 35 & 36

North  
40.00 Return Sec. 25 & 26. T. 8 N. R. 8 W.  
Set a 7/4 capst. from which  
Hick 12 in dir. bears. N 89 E. 274 the dist. & a  
Oak 4 " " N 5 E. 47 " "  
80.00 Set a post for the cor. of sec. 23, 24, 25 & 26. From which  
Hick 12 in dir. bears. S 86 W. 119 the dist. & a  
Do. 10 " " N 32 E. 120 " "  
Land level and rather thickly timbered with Oak &  
Hick.

97

T. N. 8 N.R. N. 8 W 2nd Mer. Ind.

East One Random line between Sec. 24 & 25. T. 8 N. R. 8 W  
 40.00 Set a trap 7 ft. support  
 79.55 Enter at the East Boundary 30 miles North of the post  
 on of sec. 24 & 25.  
 Land good and middling good for farming Timber Oak  
 & Hickory; thin by timber

West One line between Sec. 24 & 25 T. 8 N. R. 8 W  
 39.77 Set the trap 7 ft. support at the end of the line  
 from which N Oak 12 in diam. trees. N 89 E. 123 1/2 miles north  
 and a Hickory 10 " " " 130 ft. W. 60 " "  
 79.55 To the post on of sec. 23, 24, 25 & 26.

South One Random line between Sec. 23 & 24 T. 8 N. R. 8 W  
 40.00 Set a trap 7 ft. support  
 79.70 Enter at the E & W line 27 miles East of the post corner  
 of sec. 23, 24, 25 & 26.  
 Land good a few scattering trees; not land & barrens  
 Prairie

North One line between Sec. 23 & 24 T. 8 N. R. 8 W  
 39.85 Set the trap 7 ft. support at the end of the line from  
 which Hickory 12 in diam. trees. S 55 E. 158 1/2 miles N & W  
 W Oak 12 " " " S 13 E. 232 " "  
 79.70 To the post on of sec. 13, 14, 23 & 24

East One Random line between Sec. 13 & 24 T. 8 N. R. 8 W  
 3.50 To a small brook corner NW  
 40.00 Set a trap 7 ft. support  
 79.20 Enter at the East Boundary at the corner of sec. 13 & 24  
 Land broken and good for wheat. Timber Oak & Hickory

West One line between Sec. 13 & 24 T. 8 N. R. 8 W  
 39.60 Set the trap 7 ft. support at the end of the line from  
 which Hickory 12 in diam. trees. S 29 E. 14 1/2 miles north & W  
 40, W Oak 12 " " " N 31 E. 18 " "



T. N. 8 N. R. N. 87W 2<sup>nd</sup> Mer. Sec.

79.20 To the post cor of sec. 13 14 23 & 24

North Return Sec 13 & 14 T. 8 N. R. 87W  
 22.00 To a creek 30 links mid., corner S. W.  
 40.00 Set a 7<sup>th</sup> 1/2 post from which  
 N. W. about 14 in dist. bears N 76 E. 16 links mid. & a  
 Locust. 14 " " " N 18 E. 26 " "  
 63.00 To a creek 20 links mid., corner S. E.  
 72.00 " " Do. 20 " " " S. W.  
 80.00 Set a post for the cor of sec. 11 12 13 & 14 from which a  
 Sugar. 10 in dist. bears South 18 links mid. & a  
 No. 14 " " " N 85 W. 28 " "  
 Land rolling; Timber Oak & Hickory Sugar &c.  
 Part creek bottom which overflows.

East On a Random line between Sec. 12 & 13. T. 8 N. R. 87W  
 1.57 To a creek 20 links mid., corner S.  
 40.00 Set a temporary post  
 62.00 To a Brook 15 links mid., corner S. W.  
 79.24 Into lat the N & S line on East Boundary 43 links  
 North of the post cor of sec. 12 & 13.  
 Land rolling and good for farming; Timber Sugar,  
 Poplar, Oak & Hickory.

West On the true line between Sec. 12 & 13. T. 8 N. R. 87W  
 39.60 Set the temporary post at the corner on the true line from  
 which Sugar. 8 in dist. bears N 81 E. 14 links mid. & a  
 Poplar. 46 " " " N 26 W. 15 " "  
 79.24 To the post cor of sec. 11 12 13 & 14

North Return Sec 11 & 12 T. 8 N. R. 87W  
 40.00 Set a 7<sup>th</sup> 1/2 post from which  
 Hickory 14 in dist. bears N 74 W. 8 links mid. & a  
 N Oak. 15 " " " S 66 E. 32 " "  
 80.00 Set a post for the cor of sec. 1 2 11 & 12 from which  
 Oak 8 in dist. bears N 71 E. 11 links mid.

99

T. N. 8 N.R. N. 877 2nd. Mer. Ind.:

J. Oak 7 in air: time. 86477.9 bushels met;  
Land level and rather wet; Timber Oak & Hick.

East On a Random line between Sec. 1 & 12 T. 8 N. R. 877  
40.00 Set a timber 7/8 to post  
51.00 To a Point 15 miles out, corner J. N.  
56.00 " " Sec. 6 " " " " 977.  
78.94 Into lot the N. 1/2 line 26 miles North of the post on  
Apr. 1872.  
Land rolling and good for farming on the Oak & Hick.

West On the true line between Sec. 1 & 12 T. 8 N. R. 877  
39.47 Set the timber 7/8 to post at the end of the true line from  
whence J. Oak 27 in air: time. N 86 E. 16 miles met;  
Va. Hick 12 " " " 31.718 " "  
78.94 To the post on Apr. 1. 2. 11. 72

North Between Sec. 1 & 12 T. 8 N. R. 877  
40.00 Set a 7/8 to post from whence  
J. Oak 14 in air: time. 356.31 bushels met; Va.  
Hick 14 " " " 30 E. 43 " "  
79.06 Enter the N. Boundary 13 miles East of the post.  
on Apr. 35 & 36. T. 9 N. R. 877 and set a post on  
" " 1 & 2 from whence  
Hick 11 in air: time. N 12 E. 329 the met;  
The N. 1/2 mile & the East part of the South 1/2 is  
low and brushy 3rd rate prairie

South On a Random line between Sec. 34 & 35 T. 8 N. R. 877  
40.00 Set a timber 7/8 to post  
80.04 Into lot the South Boundary 21 miles West of the on  
Apr. 34 & 35. Land rolling and thick timbered,  
with Oak & Hick. Good farming land.

North On the true line between Sec. 34 & 35 T. 8 N. R. 877

T. N. 8 N.R. N. 8 W. 2<sup>nd</sup> Mer. Ind.

40.00	Get the temp. 7 <sup>th</sup> report at the ar ditch on the same line from which W Oak 12 in diam. bears N 47 E 50 the ditch made a Ho. 12 " " S 25 E 84 " "
80.84	To the post cor of sec. 26, 27, 34 & 35.
East	Return Sec. 26 & 33 T. 8 N. R. 8 W
40.00	Get a 7 <sup>th</sup> report from which a W Oak 15 in diam. bears N 78 E 46 the ditch, & a Ho. 20 " " S 70 W 9 " "
62.00	To a brook 5 miles wide, across it
80.00	Get a spot for the cor of sec. 25, 26, 35 & 36 from which W Oak 14 in diam. bears N 78 E 15 the ditch, & a Ho. 12 " " S 48 W 40 " "
	The above spot stands on a remaining prairie which spreads NW and nearly the same not much timber, much brush
South	On a Rancho line between Sec. 26 & 27 T. 8 N. R. 8 W
40.00	Get a temp. 7 <sup>th</sup> report
80.12	Enter east the E & West line 80 miles West of the post cor of sec. 26, 27, 34 & 35. Land bet. 7 <sup>th</sup> spots, level over prairie. Last 7 <sup>th</sup> nothing made good for farming Timber Oak & Hickory
North	On a trap line between Sec. 26 & 27 T. 8 N. R. 8 W
40.06	Get the temp. 7 <sup>th</sup> report at the ar ditch on the same line from which Hickory 12 in diam. bears N 49 E 13 the ditch made a Ho. 11 " " S 78 E 22 " "
80.12	To the post cor of sec. 22, 23, 26 & 27.
North	Between Sec. 22 & 23 T. 8 N. R. 8 W
35.00	To a Wet Marsh
40.00	Get a 7 <sup>th</sup> report from which a Hickory 18 in diam. bears North 9.29 the ditch,
51.00	To a creek 20 the wide across it
80.00	Get a spot for the cor of sec. 14, 15, 22 & 23 from which a Hickory 9 in diam. bears S 72 W 15 the ditch, & a

# 111

T. P. & R. P. 8th Quad, Mr. Lind.

Aug. 12 in near town. N 50 E. 25.  
Land 10<sup>th</sup> 7<sup>th</sup> mile prairie; the last 7<sup>th</sup> Oak & Hickory land

East	Between Sec. 14 & 23. T. 8 N. R. 8 W.	Feb. 26. 1814
40.00	To a Brook 10 miles wide, course S.	
25.00	" Do. 5 " "	
40.00	Get a 1 <sup>st</sup> report from which,	
	Aug. 9 in near town. N 64 W. 19 the creek, & a,	
	Do 11 " " N 61 E. 45 " "	
50.50	To a Brook 40 miles wide, course S. W.	
80.00	Get a report for the car of sec. 13. 14. 23. & 24 from which	
	N. Oak 14 in near town. N 72 E. 35 the creek, & a,	
	N. Oak 14 " " N 15 W. 8 " "	
	Land good timber Oak Hickory & some Elm Sugar.	
	Rather wet.	

South	On a Random line between Sec. 14 & 15 T. 8 N. R. 8 W.	
30.00	To a Brook 6 miles wide, course S.	
40.00	Get a temp. 7 <sup>th</sup> report	
80.79	Enter out the E. T. W. line. 5 miles west of the post car of	
	Aug. 14. 15. 22 & 23.	
	Land good and good for farming; Timber Sugar, Oak	
	Hickory & c.	

North	On a Random line between Sec. 14 & 15 T. 8 N. R. 8 W.	
40.39	Get the temp. 7 <sup>th</sup> report at the arch with the line	
	from which, Brook. 18 in near town. N 61 E. 30 the creek	
	made w. Do. 15 " " N 26 E. 50 " "	
80.79	To the post car of sec. 10. 11. 14 & 15.	

East	On a Random line between Sec. 11 & 14 T. 8 N. R. 8 W.	
40.00	Get a temp. 7 <sup>th</sup> report	
71.00	To a Brook. 6 miles wide, course S. E.	
80.50	Enter out the N. S. line 18 miles north of the post car	
	of sec. 11. 12. 13 & 14	
	Land good and good for farming; Timber Sugar,	



## T. R. 8 N. R. 1. 87 N. 2nd Mer. 1st.

Oak. Hickory Is.

West Return line between Sec. 11. 14 18 N. R. 87 N  
 40.25 Set the trip 17 1/2 apart at the end of the line  
 from which W Oak. 18 in air. hms. 929 E. 57 links out  
 made w. Hickory 4 " " " 875 W - " "

South Return Sec. 10 & 11. 18 N. R. 87 N  
 40.00 Set a 1/4 apart from which  
 Hickory 18 in air. hms. N 127 W. 5 links out; 7a  
 W Oak. 13 " " N 75 E 39 " "  
 80.00 Set apart for the en of sec. 10. 11. 14 & 15 from which  
 Sum. 9 in air. hms. 877 N. 14 links out; 7a  
 W Oak 10 " " N 44 E 9 " "  
 Land rolling timber Oak & Hickory. Very bushy  
 good wheat land

West Return Sec. 2 & 11 18 N. R. 87 N  
 40.00 Set a 1/4 apart from which  
 W Oak. 15 in air. hms. 997 N. 25 links out; 7a  
 J. Oak. 4 " " " 878 N. 6 " "  
 80.00 Set apart for the en of sec. 2, 3, 10 & 11 from which  
 W Oak 24 in air. hms. 843 E. 48 links out; 7a  
 W Oak 18 " " " N 54 W. 27 " "  
 Land 1st 1/2 mile 3rd rate prairie; West 3/4 rolling  
 made good for farming) timber Oak & Hickory.

North Return Sec. 2 & 3 18 N. R. 87 N  
 40.00 Set a 1/4 apart from which  
 Hickory 12 in air. hms. 867 N. 20 links out; 7a  
 Poplar 24 " " " 863 E. 25 " "  
 57.50 To about 8 links. made. corner W  
 67.00 " " 9 " " " " "  
 79.77 Set out the N. R. 18 links East of the feet on  
 of sec. 34 & 35 18 N. R. 87 N and set apart for the  
 en of sec. 2 & 3 from which

103

T. N. 8 N. 8 W. Q. 8 (M. S. 8)

Q. 24 in air: trees. S. 27 N. 27 trees ash; & a  
 B. 24 in air: trees. S. 27 E. 30 " "  
 Land good for farming. Timber Oak, Hickory, Poplar  
 and Sycamore.

North Return S. 27 & 34 T. 8 N. 8 W. 877  
 40.00 Set a 7th support from which  
 W. Oak 10 in air: trees. S. 27 E. 23 trees ash; & a  
 L. 12 " " " N. 61 E. 36 " "  
 80.00 Set a post for the cor of S. 27, 28, 33 & 34 from which  
 W. Oak 16 in air: trees. S. 47 N. 36 trees ash; & a  
 Height 12 " " N. 27 N. 217 " "  
 Land N. 7/2 mile Long & 1/2 mile wide. Timber Oak & Hickory  
 Land good for farming. South 7/2 mile and ash;  
 thirty timber.

East Return S. 27 & 34 T. 8 N. 8 W. 877 Feb. 25. 1814  
 5.00 To a point 8 miles north, corner A. E.  
 40.00 Set a 7th support from which  
 W. Oak 14 in air: trees. S. 42 E. 16 trees ash; & a  
 B. L. 24 " " " N. 27 E. 18 " "  
 80.00 Set a post for the cor of S. 26, 27, 28, 33 & 34 from which  
 W. Oak 20 in air: trees. N. 23 E. 50 trees ash; & a  
 L. 27 " " " S. 60 N. 94 " "  
 This is a barren prairie generally; a few scattered  
 trees of Oak & Hickory; many small brush &  
 good for farming.

North Return S. 27 & 28 T. 8 N. 8 W. 877  
 40.00 Set a 7th support from which  
 W. Oak 9 in air: trees. S. 24 N. 9 trees ash; & a  
 L. 18 " " " S. 53 E. 33 " "  
 80.00 Set a post for the cor of S. 21, 22, 27 & 28 from which  
 W. Oak 11 in air: trees. N. 45 N. 22 trees ash; & a  
 Height 14 " " " N. 37 N. 53 " "  
 Land rolling and good for farming; thirty timber.

## T. N. 8. N.R. N. 8 W 2nd Mer. Ind:

Oak &amp; Hick

West	Cap Ransom line between Sec. 22 & 27 T. 8 N. R. 8 W
40.00	Set a trap 7 1/2 support
78.76	Enter cut the NTS line 40 cuts north of the post on of Sec. 21, 22, 27 & 28. Land look over 3rd rate prairie.
East	On the true line between Sec. 22 & 27 T. 8 N. R. 8 W
39.38	Set the trap 7 1/2 support at the ar arch on the true line from which, T Oak 8 in diam. beam. 187 W. 195 lbs arch.
78.76	To the post on of Sec. 22, 23, 26 & 27.
North	Between Sec. 21 & 22 T. 8 N. R. 8 W.
16.50	To a Brook 20 cuts wide, lower W
40.00	Set a 7 1/2 support from which T Oak 48 in diam. beam. 185 W. 47 lbs arch; & a the above post is a Brook 30 lbs wide. lower NW
80.00	Set a post for the crop Sec. 15, 16, 21 & 22 from which W Oak 14 in diam. beam. 169 W. 19 lbs arch; & a Elm 8 " " " 150 E. 14 " " Most of this mile low into bottom land which overflows
West	Cap Ransom line between Sec. 15 & 22 T. 8 N. R. 8 W
40.00	Set a trap 7 1/2 support
79.80	Enter cut the NTS line 53 cuts north of the post on of Sec. 15, 16, 21 & 22 Land rolling and good for farming; Timber Oak & Hick and Sugar.
East	On the true line between Sec. 15 & 22 T. 8 N. R. 8 W
39.90	Set the trap 7 1/2 support at the ar arch on the true line from which W Oak 18 in diam. beam. 170 E. 29 lbs arch. and a Hick 7 1/2 " " " 14 W 29 " "
79.80	To the post on of Sec. 14, 15, 22 & 23.



North  
6.50 Return Sec. 15 & 16 T. 8 N.R. 8 W  
To a Brook 6 miles wide, corner N  
40.00 Set a trap for report from which  
Heifer 16 in deer horn S 24 W. 28 links each, & a  
W Oak 15 " " " S 42 E. 20 " "  
80.00 Set a post for the corner of sec. 9, 10, 15, & 16 from which  
Dogwood 9 in deer horn S 25 E. 14 links each, & a  
Heifer 14 " " " S 77 W. 24 " "  
Land here and the North 7 miles rather wet.  
The South 7 good farming land. Timber Oak, Hickory,  
Sugar, &c.

West  
7.00 On a random line between Sec. 10 & 15 T. 8 N.R. 8 W  
To a small brook corner S  
40.00 Set a trap for report  
54.00 To a small brook corner S  
79.26 Set a post at the N & S line 67 links north of the first cor  
of sec. 9, 10, 15, & 16.  
Land willing Timber Oak & Hickory Good land for  
farming.

East  
39.63 On the true line between Sec. 10 & 15 T. 8 N.R. 8 W  
Set the trap for report at the corner on the true line  
made corner on a Heifer 6 in deer.  
79.26 Set a post at the N & S line at the corner of sec. 10, 11, 14 & 15.

North  
40.00 Return Sec. 9 & 10 T. 8 N.R. 8 W  
Set a trap for report from which  
W Oak 13 in deer horn N 29 W. 42 links each, & a  
W Oak 18 " " " S 36 E. 66 " "  
67.50 To a Brook 8 miles wide corner N  
80.00 Set a post for the corner of sec. 3, 4, 9 & 10 from which  
Sugar 14 in deer horn S 19 W. 7 links each, & a  
Heifer 12 " " " S 80 W. 27 " "  
Land here Timber Oak & Hickory. Sugar.



T. N. 8 N.R. N. 8<sup>th</sup> 2<sup>nd</sup> Mer. Sec:

East	On a Random line between Sec. 3 & 10 T. 8 N. R. 8 W.
40.00	Set a temp. 7 <sup>th</sup> sap post
80.00	Enter sat the N & S line at the cor of sec 2, 3 & 10 & 11 Land thickly timbered with Oak & Hick: Good for farming
West	On the true line between Sec. 3 & 10. T. 8 N. R. 8 W.
40.00	Set the temp. 7 <sup>th</sup> sap post at the corner on the true line from which a Black 24 in diam. beam. N 80 E. 18 links with made. a W Oak 12 <sup>th</sup> " " 146 E. 44 " "
80.00	Set the post on of sec. 3, 4 & 10.
North	Between Sec. 3 & 4 T. 8 N. R. 8 W.
40.00	Set a 7 <sup>th</sup> sap post from which Hick 12 in diam. beam. N 45 W. 24 links with & a Do. 14 <sup>th</sup> " " 99 W. 25 " "
58.00	Iron Broom. 20 links in corner S. W.
81.00	Enter at the N. Boundary at the post cor of sec. 3 & 4 T. 9 N. R. 8 W. Land rolling: and good for farming: Timber Oak & Hick
South	On a Random line between Sec. 32 & 33. T. 8 N. R. 8 W.
40.00	Set a temp. 7 <sup>th</sup> sap post
80.30	Enter sat the E & W line 11 links East of the post cor. of sec. 32 & 33. Land rolling and good for farming) sandy soil Timber Oak & Hick.
North	On the true line between Sec. 32 & 33. T. 8 N. R. 8 W.
40.15	Set the temp. 7 <sup>th</sup> post at the corner on the true line from which Hick 8 in diam. beam. N 71 W. 26 links with and a Do. 11 <sup>th</sup> " " 143 E. 14 " "
80.30	Set the post cor of sec. 28 & 29, 32 & 33.
West	Between Sec. 28 & 33. T. 8 N. R. 8 W. Feb. 24. 1814.
40.00	Set a temp. 7 <sup>th</sup> sap post from which Hick 7 in diam. beam. N 34 W. 33 links with & a

80.00	<p>Heip 14 in air: brns. 56 W. 43 links each          Set apart for the car of 28. 29. 32 &amp; 33 from which          W. Oak 12 in air: brns. N 36 W. 59 links each, &amp; a          W. Oak 15 " " " 56 E. 69 " "          Land no rolling Timber Oak &amp; Heip. Sandy soil &amp;          good for farming.</p>
South 40.00 79.60	<p>Quadrant line between Sec 28 &amp; 29 T. 8 N. R. 877          Set a trap 1/4 in support.          Enter at the E &amp; W. line 30 links West of the post on of 28.          28. 29. 32 &amp; 33.          Land good for farming; Timber dense.</p>
North 39.80 79.60	<p>Quadrant line between Sec 28 &amp; 29 T. 8 N. R. 877          Set apart for the car of 1/4 support as ditch on the line          from which W. Oak 18 in air: brns. 42 E. 38 the ditch          and a No. 27 " " " 56 W. 29 " "          Took post on of 20. 21. 28 &amp; 29.</p>
East 5.00 40.00 43.00 80.00	<p>Between Sec 20 &amp; 29 T. 8 N. R. 877.          To a Brook 70 links wide, corner S. W.          Set a post from which          W. Oak 18 in air: brns. N 77 W. 44 links each, &amp; a          No. 15 " " " N 42 E 33 " "          To a Brook links wide, corner S.          Set apart for the car of 20. 21. 28 &amp; 29 from which          W. Oak 14 in air: brns. N 73 W. 41 links each, &amp; a          No. 30 " " " N 77 E 15 " "          Land and timber same. Good for farming.          The above line was entered in by mistake</p>
East 34.50 40.00 79.50	<p>Quadrant line between Sec 21. &amp; 28 T. 8 N. R. 877          To a Brook 10 links wide, corner N. W.          Set a trap 1/4 in support          Enter at the N 73 line 50 links North of the post on of 21.          21. 22. 25. &amp; 28.</p>

T. No 8 N.R. No 872<sup>nd</sup> Mo. Ind.

Good farming land, Tipton town.

West	Quadrant line between Sec. 21 & 28. T. 8 N. R. 8 W
39.77	Set the true p. 1/4 Sec post at the arched north line from which, Hick 9 in. near house. N 32 W. 25 1/2 the dist under a Hick 9 " " " N 74 E. 14 " "
79.53	To the post cor of Sec. 20, 21, 28 & 29.
North	Return Sec. 20 & 21. T. 8 N. R. 8 W Feb 27. 1814
35.00	To a corner 50 links wide, corner W
40.00	Set a 1/4 Sec post from which Hick 7 1/2 in. near house N 6 E. 17 1/2 the dist. 1/4 under 10 " " " N 9 W 27 " "
80.00	Set a post for the cor of Sec. 16, 17, 20 & 21. from which Hick 9 in. near house. S 56 W. 18 1/2 the dist. 1/4 under 10 " " " N 39 E. 19 " "
	Said p. 1/4 mile rolling Tipton Oak & Hick Said good for farming. Set 1/2 out to the line which overflows.
East	Quadrant line between Sec. 16 & 21. T. 8 N. R. 8 W
40.00	Set a true p. 1/4 Sec post
55.00	To a Brook 10 links wide, corner S. W
80.40	Set a post the N & S line 30 links north of the post cor. 15 1/2. 21 & 22 Said good and not; Tipton Hick, Beech, Elm & 1/2
West	Quadrant line between Sec. 16 & 21. T. 8 N. R. 8 W
40.20	Set the true p. 1/4 Sec post at the arched north line from which, Beech 12 in. near house N 46 W. 19 1/2 the dist under a Hick 14 " " " N 81 E. 23 " "
80.40	To the post cor of Sec. 16, 17, 20 & 21
North	Return Sec. 16 & 17 T. 8 N. R. 8 W
15.00	To a Brook 10 links wide, corner W
40.00	Set a 1/4 Sec post from which



8000 Buck. 18 in air. beam. S27 W. 40 links north, & a  
 Sugar 12 " " " 862 E. 30 " "  
 Set a post for the cor of sec. 8. 9. 16. & 17 from which  
 Hickory 12 in air. beam. N79 E. 12 links north, & a  
 Ho. 12 " " " N79 W. 32 " "  
 Land rolling made good for farming; Timber Oak & Hickory.

East  
 40.00 On a Random line between Sec. 9 & 16. T. 8 N. R. 8 W.  
 Set a temporary post  
 80.30 Intersect the N & S line 6 links north of the post cor of  
 Sec. 9. 10. 15 & 16.  
 Land rolling made good for farming; Timber Oak & Hickory

West  
 40.15 On the true line between Sec. 9 & 16. T. 8 N. R. 8 W.  
 Set the temporary post at the corner with the true line from  
 which Black 24 in air. beam. S26 E. 22 links north, & a  
 Hickory 8 " " " N44 W. 31 " "  
 80.30 To the post cor of sec. 8. 9. 16. & 17.

North  
 40.00 Return Sec. 8 & 9 T. 8 N. R. 8 W.  
 Set a temporary post from which  
 Elm 12 in air. beam. S24 W. 13 links north, & a  
 W. Oak 5 " " " N77 W. 32 " "  
 8000 Set a post for the cor of sec. 4. 5. 8 & 9 from which  
 Sugar. 9 in air. beam. N17 W. 14 links north, & a  
 Buck. 12 " " " S58 E. 21 " "  
 This line is through our old swampy bottom which  
 is now dry.

East  
 40.00 On a Random line between Sec. 4 & 9 T. 8 N. R. 8 W.  
 Set a temporary post  
 80.29 Intersect the N & S line 42 links north of the post cor.  
 of sec. 3. 4. 9 & 10  
 Land here made good for farming. Timber Oak & Hickory



## T. N. 8 N.R. 87. D. M. S. 87.

West	On the line between Sec. 4 & 9 T. 8 N. R. 87 W.
40.14	Set the trap 7 <sup>th</sup> in support at the end of the line from which W. Oak 18 in dist. from. S 85° W 31 the dist.
	and a No. 15 " " S 68° W 26 " "
80.29	To the post on of Sec. 45 & 9.
North	Between Sec. 4 & 5. T. 8 N. R. 87 W.
40.00	Set a 7 <sup>th</sup> in support from which
	W. Oak 12 in dist. from. S 38° W 49 links dist.
	The 7 <sup>th</sup> in support is a creek 20 links wide, known. S. W.
80.36	Enter at the N. Boundary at the post on of Sec. 32 & 33. T. 9 N. R. 87 W. Same the same.
South	On the line between Sec. 31 & 32 T. 8 N. R. 87 W.
40.00	Set a trap 7 <sup>th</sup> in support.
80.03	Enter at the South Boundary 64 links East of the post on of Sec. 31 & 32.
	Land good for farming; Timber Oak & Hickory.
North	On the line between Sec. 31 & 32 T. 8 N. R. 87 W.
40.01	Set the trap 7 <sup>th</sup> in support at the end of the line from which W. Oak 24 in dist. from. S 88° W 116 the dist.
	and a W. Oak 24 " " N 15° E 136 " "
80.03	To the post on of Sec. 29, 30 & 31 & 32
West	Between Sec. 29 & 30 T. 8 N. R. 87 W.
40.00	Set a 7 <sup>th</sup> in support from which
	Hickory 12 in dist. from. N 67° W 30 links dist. & a
	W. Oak 16 " " S 51° W 77 " "
50.00	Long Brook 8 links wide, known. S. W.
80.00	Set a post for the corner of Sec. 29, 30, 31 & 32 from which
	Hickory 11 in dist. from. N 66° E 43 links dist. & a
	No. 8 " " S 50° E 45 " "
	Land good for farming; Timber Oak & Hickory
West	Between Sec. 30 & 31 T. 8 N. R. 87 W.

T. N. 8 N.R. N. 8 W. 2<sup>nd</sup> M. Ind.

40.00 Set a  $\frac{1}{4}$  apart from which  
 Pin Oak 24 in diam. bears. N41 E 91 the north, & N  
 Elm. 12 " " N64 W. 89 "  
 83.45 Intersect the West Boundary 43<sup>rd</sup> line, South of the post.  
 cor of sec. 36 & 25. T. 8 N. R. 9 W. can do set apart for the  
 " " 30 & 31 from which  
 W Oak 2 in diam. bears. N22 E. 10 links each, & N  
 Elm. 11 " " S42 E. 9 "  
 Land set  $\frac{1}{2}$  mile from as last mile; last  $\frac{1}{2}$  mile long  
 not, thin by timbered; A few scattering trees  
 \* There is an out missed on the Range line between Sec.  
 31 & 36 which makes the departure 43 links North of  
 where the corner ought to be.

North Return Sec 29 & 30 T. 8 N. R. 8 W  
 27.00 To a Brook. 10 links mid, corner W  
 40.00 Set a  $\frac{1}{4}$  apart from which  
 W Oak. 14 in diam. bears. S58 W. 16 links each, & N  
 Ho. 10 " " S66 E. 29 "  
 73.50 To a Brook 70 links mid, corner W  
 80.00 Set apart for the cor of sec. 19, 20, 29 & 30 from which  
 W Oak. 8 in diam. bears. S34 W. 24 links each, & N  
 Poplar. 60 " " N65 W. 41 "  
 Land selling as good for farming; Timber Oak  
 & Hickory

Cash On a Range line between Sec. 20 & 29 T. 8 N. R. 8 W  
 5.00 To a Brook. 70 links mid, corner N.  
 40.00 Set a  $\frac{1}{4}$  apart from which  
 W Oak. 18 in diam. bears. N77 W. 44 links each, & N  
 Ho. 15 " " N42 E. 33 "  
 43.00 To a Brook 60 links mid, corner N.  
 80.00 Set apart for the cor of sec. 20, 21, 28 & 29 from which  
 W Oak. 14 in diam. bears. N73 W. 41 links each, & N  
 Ho. 30 " " N77 E. 15 "  
 Land and timber same good for farming.

ga

Comp

T. No 8 N.W. No 8 W 2<sup>nd</sup> Mer. And.

West Between Sec 19 & 20 T. 8 N. R. 8 W.  
 6.50 To a corner 70 links mid., corner N.W.  
 13.00 " " 20. 70 " " " " S.W.  
 40.00 Set a 7/8 capost from which  
 W. Oak. 11 in air. bears N 29 E. 11 links mid. & a  
 Height 11 " " " 99 N. 18 " "  
 82.96 Set a lat the West Boundary 36 links South of the  
 post on of sec. 24 & 25 T. 8 N. R. 8 W. and set a post  
 for the " " " 19 & 20 from which  
 W. Oak. 8 in air. bears S 69 E. 15 links mid. & a  
 W. Walnut 6 " " " N 71 E. 12 " "  
 The East 50 ch. land the same; West 30 ch. rolling  
 and good for farming. Timber Oak, Ash  
 Sugar. &c.

South On a Random line between Sec. 19 & 20 T. 8 N. R. 8 W.  
 40.00 Set a temporary 7/8 capost  
 80.40 Set a lat the E & W line 12 links West of the post on of sec.  
 19. 20. 29 & 30. Land same.

North On the true line between Sec. 19 & 20 T. 8 N. R. 8 W.  
 40.20 Set the temporary 7/8 capost at the corner on the true line  
 from which W. Oak. 24 in air. bears N 43 W. 7 links mid.  
 and a Oak. 11 " " " S 56 W 35 " "  
 80.40 To the post on of sec. 17. 18 19 & 20.

West Between Sec. 17 & 20. T. 8 N. R. 8 W.  
 5.00 To a corner 10 links mid., corner S.W.  
 9.50 " " corner. 50 " " " " S.  
 40.00 Set a 7/8 capost from which  
 Elm. 15 in air. bears S 77 E. 30 links mid. & a  
 Oak. 9 " " " N 5 W. 24 " "  
 45.00 To a corner 60 links mid., corner S.W.  
 80.00 Set a post for the cor of sec. 17. 18 19 & 20 from which  
 Elm. 10 in air. bears N 71 E. 17 links mid. & a  
 Elm. 10 " " " S 35 W 18 " "

D. No 8 N.R. No 8 W. Q. and M. Ind.

Land low over Bottom which overflows.

West Return Dec. 18 & 19 J. 8 N.R. 8 W.  
 40.00 Set a 1/4 section from which  
 W Oak 10 in diam. trees. S 6 E. 27 the north, & a  
 Gum. 14 " " " S 64 W. 14 " "  
 81.36 Subcut the West Boundary 10 links South of the post on  
 of sec. 13 & 24 J. 8 N.R. 9 W. made set a post for the cross  
 " 18 & 19 from which  
 W Oak 12 in diam. trees. S 55 E. 14 links north, & a  
 Do. 20 " " " S 66 E. 20 " "  
 Land rolling timber Oak & Hick; good farming land

North Return Dec. 17 & 18 J. 8 N.R. 8 W.  
 40.00 Set a 1/4 section from which  
 Hick 11 in diam. trees. S 37 W. 14 links north, & a  
 Beech. 18 " " " S 88 E. 44 " "  
 80.00 Set a post for the cor of sec. 7. 8. 17. & 18 from which a  
 Beech. 14 in diam. trees. S 35 E. 44 links north, & a  
 Do. 12 " " " S 48 W. 45 " "  
 Land level and middling farming land;

East On a Random line between Dec 8 & 17. J. 8 N.R. 8 W.  
 18.00 To a corner 15 links north, corner S.  
 40.00 Set a trip. 1/4 section  
 46.00 To a corner 30 links north, corner S.  
 71.05 To a Do. 40 " " " S.  
 79.94 Subcut the N 15 line 16 links North of the post on of sec.  
 8. 9. 16 & 17.  
 Land low Back Bottom which overflows.

West Return Dec 8 & 17 Oak & birch line J. 8 N.R. 8 W.  
 39.97 Set the trip. 1/4 section at the cor dish in the line line  
 from which a Elm. 9 in diam. trees. N 14 W. 25 the north,  
 made a Do. 11 " " " S 40 W. 15 " "  
 79.96 To the post on of sec. 7. 8. 17 & 18.



I. N. 8 N.R. N. 8 W D. 2<sup>nd</sup> (Mm. S. 1<sup>st</sup>)

West Return S. 1<sup>st</sup> 78 I. 8 N.R. 8 W.  
 37.00 Enter a Prairie.  
 40.00 Set a  $\frac{1}{4}$  section from which  
 Hickory 10 in diam. trees. N 27 E. 114 links met. 78  
 Do. 15 " " " N 52 E. 129 " "  
 80.42 Enter at the West (Brom. 1<sup>st</sup>) at the foot of cor.  
 N 27 E. I. 8 N.R. 9 W. and set a post at the intersection  
 for the cor. of cor. 78 from which  
 Oak 18 in diam. trees S 32 W. 250 links met. 78  
 Do. 18 " " " S 48 W. 281 " "  
 Land  $\frac{1}{2}$  mile rolling; and good for wheat; Timber  
 Oak & Hickory. Last  $\frac{1}{2}$  3<sup>rd</sup> rate prairie

North Return S. 1<sup>st</sup> 78 I. 8 N.R. 8 W.  
 11.50 To a Brook 15 links mid. corner S. E.  
 40.00 Set a  $\frac{1}{4}$  section from which  
 Gum. 12 in diam. trees. N 41 E. 145 links met. 78  
 Buck. 18 " " " S 83 W. 27 " "  
 80.00 Set a post for the cor. of cor. 5. 6. 7. 78 from which  
 Buck. 18 in diam. trees. N 12 E. 39 links met. 78  
 Hickory 10 " " " N 76 W. 9 " "  
 Land low and good for farming; Timber Sugar,  
 Poplar, Oak, Hickory & Walnut.

East On a Run line between S. 1<sup>st</sup> 578. I. 8 N.R. 8 W.  
 40.00 Set a  $\frac{1}{4}$  section.  
 42.50 To a creek 70 links mid. Corner W  
 65.50 " " Brook. 11 " " " S. W.  
 73.50 " " Do. 10 " " " " "  
 79.82 Enter at the N 15 line 80 links North of the foot of cor.  
 4. 3. 8 & 9  
 Land  $\frac{1}{2}$  mile same all set out; Last  $\frac{1}{2}$  low into  
 Creek bottom.

West On the true line between S. 1<sup>st</sup> 578. I. 8 N.R. 8 W.  
 39.91 Set the true post on the true line from which

## T. N. 8 N. R. No 8 W. Quad. Mn. Ind.:

Click 12 in dia. brns. S35 E. 32 links north; 7a  
 W. Oak 6 " " S44 N. 18 " "  
 79.82 To the post cor of sec. 5. 6. 7 & 8.

West Return Lat. 6 57. T. 8 N. R. 8 W.  
 40.00 Set a 7th report from which a  
 " Oak. 18 in dia. brns. S42 E. 29 links north; 7a  
 " Mahoe. 10 " " S44 N. 27 " "  
 80.08 Enter lat the West Boundary 38 links North of the post. cor  
 of sec. 1 & 2 T. 8 N. R. 9 W. and set a post for the cor of  
 " 16 57 from which a  
 " Oak. 12 in dia. brns. N25 E. 17 links north; 7a,  
 " 17 " " S45 E. 8 " "  
 Land level and good for farming; Timber  
 Oak, Poplar, Sugar, Oak & Hickory, Mahoe, &c.

North Return Lat. 5 56. T. 8 N. R. 8 W.  
 38.50 To a Brook. 12 links north, corner C.  
 40.00 Set a 7th report from which a  
 " Sugar. 12 in dia. brns. S25 E. 7 links north; 7a  
 " 12 " " S27 N. 21 " "  
 79.20 Enter lat the N Boundary 6 links East of the post cor.  
 of sec. 31 & 32 T. 9 N. R. 5 W. and set a post for the "  
 " " 5 56 from which a  
 " Oak. 30 in dia. brns. S26 W - the north; 7a  
 " Oak 12 " " S17 N. 26 " "  
 Land and timber same.  
 Surveyed by William Harris et.

I certify that the foregoing Transcript of the field notes  
 of T. N. 8 N. R. No 8 W. of the Quad. Mn. Ind. has been  
 compared with the Original notes in the Office & found  
 to be correct.

Surveyor General's Office.

Cincinnati, July 13. 1841

W. S. Main  
 Sur. Genl.

CSN RSN, 2<sup>nd</sup> Mer. Indiana

West Between Secs. 23 & 26

40.00 Set of Sec. post in prairie

No bearing trees

80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which  
a W. Oak 12 in. diam. bears N 38 E 280 ft. dist.  
a Do. 9 " " " N 56 E 307 " "  
Level with prairie